



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/084,214	02/25/2002	Brian Dennis McKean	SJO920010056US1	5101
7590 09/21/2005			EXAMINER	
David W. Lynch CRAWFORD MAUNU PLLC			TANG, KENNETH	
1270 Northland Drive			ART UNIT	PAPER NUMBER
Suite 390			2195	
Mendota Heights, MN 55120			DATE MAILED: 09/21/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/084,214	MCKEAN ET AL.				
Office Action Summary	Examiner	Art Unit				
·	Kenneth Tang	2195				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet	with the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA. Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period value of the provision of the provis	ATE OF THIS COMMUN 36(a). In no event, however, may will apply and will expire SIX (6) M , cause the application to become	NICATION. a reply be timely filed ONTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 27 Ju	<u>ıne 2002</u> .					
2a) ☐ This action is FINAL . 2b) ☑ This	This action is FINAL. 2b)⊠ This action is non-final.					
	- · · · · · · · · · · · · · · · · · · ·					
closed in accordance with the practice under E	Ex parte Quayle, 1935 C	.D. 11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-42</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-42</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	۲.					
10)⊠ The drawing(s) filed on <u>25 February 2002</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correct						
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attach	ed Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C	. § 119(a)-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the prior	-	en received in this National Stage				
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list	of the certified copies n	ot received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)		w Summary (PTO-413)				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 		lo(s)/Mail Date of Informal Patent Application (PTO-152)				
Paper No(s)/Mail Date <u>6/27/02</u> .	6) Other:					

DETAILED ACTION

1. Claims 1-42 are presented for examination.

Specification

2. Applicant is required to update the current application number or patent number of the related application in the Specification (on page 1).

Drawings

3. The drawings are objected to because Fig. 4, item 420, "Paritions" is misspelled and should be changed to "Partitions". Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/084,214

Art Unit: 2195

Double Patenting

Page 3

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-11 and 23-42 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 1 of U.S. Patent No. 6,862,668 B2 in view of Moriyama et al. (hereinafter Moriyama) (US 6,466,991 B1).

4. As to claim 1, U.S. Patent No. 6,862,668 B2 teaches a mass storage controller system, comprising:

a plurality of controllers for controlling an array of storage devices (multi-controller storage device) (claim 1, lines 2-3), each of the plurality of controllers comprising:

a CPU for controlling the operation of a controller (inherent in the controller); program memory, coupled to the CPU, for storing program instructions and variables for the operation of the CPU (claim 1, line 16)); and

cache memory, coupled to the CPU, for storing information related to the array of storage devices (claim 1, line 1);

Art Unit: 2195

5. U.S. Patent No. 6,862,668 B2 also teaches establishing by the initiating controller a task coordination by the multiple controllers (claim 1, lines 5-19). U.S. Patent No. 6,862,668 B2 fails

to explicitly teach using data objects that represent discrete partitions of the task to be performed

and states for each partition. However, Moriyama teaches a processor/controller that uses data

objects that are discretely partitioned into various states of tasks such as a ready state, a state of

execution (IN PROGRESS) state, an end (COMPLETE) state, etc. (col. 9, lines 45-67 through

col. 10, lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the

invention was made to include the feature of using data objects that represent discrete partitions

of the task to be performed and states for each partition to the existing task

communication/controller system because using data objects and an object-oriented technique

would improve communication in the data system (col. 1, lines 10-16 and 56-65).

- 6. Claims 2-11, 23-42 are rejected for the same double patenting reasons as stated above.
- 7. Claims 12-22 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 5 of U.S. Patent No. 6,862,668 B2 in view of Moriyama et al. (hereinafter Moriyama) (US 6,466,991 B1).
- 8. As to claim 12, U.S. Patent No. 6,862,668 B2 teaches a mass storage array subsystem, comprising:

a plurality of storage devices (claim 5, line 2);

a backplane adapted to couple to said plurality of storage devices (claim 5, lines 3-4); and a plurality of controllers, coupled to the backplane, for controlling the plurality of storage devices, the plurality of controllers having a first interface to couple to a host system and a second interface adapted to couple to said backplane to communicate with said plurality of storage devices (claim 5, lines 5-10);

wherein each of the plurality of controllers comprise a CPU for controlling the operation of a controller, program memory for storing program instructions and variables for the operation of the CPU and cache memory for storing information related to the array of storage devices, and wherein a controller of the plurality of controllers initiates a task to be performed (claim 5, lines 11-28).

- 9. U.S. Patent No. 6,862,668 B2 fails to explicitly teach using data objects that represent discrete partitions of the task to be performed and states for each partition. However, Moriyama teaches a processor/controller that uses data objects that are discretely partitioned into various states of tasks such as a ready state, a state of execution (IN PROGRESS) state, an end (COMPLETE) state, etc. (col. 9, lines 45-67 through col. 10, lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the feature of using data objects that represent discrete partitions of the task to be performed and states for each partition to the existing task communication/controller system of Pecone because using data objects and an object-oriented technique would improve communication in the data system (col. 1, lines 10-16 and 56-65).
- 10. Claims 13-22 are rejected for the same double patenting reasons as stated above.

Art Unit: 2195

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

- 11. Claims 12-41 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention:
 - a. In claim 12, there is no relationship made between the "host" and the "backplane" or the "second interface" associated with the "backplane". It is not clear whether or not communication is involved.
 - b. In claims 23 and 34, there is no relationship made between "cache locking" (in preamble) to anything else in the claim.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 12. Claims 1-8, 10-11, 23-30, and 32-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Simpson et al. (hereinafter Simpson) (US 6,185,629 B1) in view of Moriyama et al. (hereinafter Moriyama) (US 6,466,991 B1).

Application/Control Number: 10/084,214

Art Unit: 2195

13. As to claim 1, Simpson teaches a mass storage controller system, comprising:

a plurality of controllers for controlling (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74) an array of storage devices (Fig. 2, items 11-15, 21-40), each of the plurality of controllers comprising:

a CPU for controlling the operation of a controller (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74);

program memory, coupled to the CPU, for storing program instructions and variables for the operation of the CPU (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74); and

cache memory, coupled to the CPU, for storing information related to the array of storage devices (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74);

14. Simpson also teaches establishing by the initiating controller a task coordination by the multiple controllers (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74). Simpson fails to explicitly teach using data objects that represent discrete partitions of the task to be performed and states for each partition. However, Moriyama teaches a processor/controller that uses data objects that are discretely partitioned into various states of tasks such as a ready state, a state of execution (IN PROGRESS) state, an end (COMPLETE) state, etc. (col. 9, lines 45-67 through col. 10, lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the feature of using data objects that represent discrete partitions of the task to be performed and states for each partition to the existing task

communication/controller system because using data objects and an object-oriented technique would improve communication in the data system (col. 1, lines 10-16 and 56-65).

- As to claim 2, Moriyama teaches wherein the state indicates whether a partition is 15. READY, IN PROGRESS, or COMPLETE (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 3, Moriyama teaches wherein a controller selects a partition by examining the 16. partitions in a READY state and selecting at least one partition in the READY state to operate on (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 4, Moriyama teaches wherein a partition is in an IN PROGRESS state during 17. processing (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 5, Moriyama teaches wherein a controller sets the partition selected for 18. processing to a COMPLETE state upon completion of processing for a partition (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 6, Moriyama teaches wherein a controller selects a partition by examining the 19. partitions in a READY state and selecting at least one partition in the READY state to operate on (col. 9, lines 45-67 through col. 10, lines 1-14).

Art Unit: 2195

20. As to claim 7, Moriyama teaches wherein a partition is in an IN PROGRESS state during processing (col. 9, lines 45-67 through col. 10, lines 1-14).

- As to claim 8, Moriyama teaches wherein a controller sets the partition selected for processing to a COMPLETE state upon completion of processing for a partition (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 10, Moriyama teaches wherein the initiating controller is notified when all partition states are COMPLETE and performs whatever completion actions are required (col. 9, lines 45-67 through col. 10, lines 1-14).
- 23. As to claim 11, Moriyama teaches wherein the task coordination data object includes information about an operation to be performed and a data set to be operated on (col. 9, lines 45-67 through col. 10, lines 1-14).
- 24. As to claim 23, Simpson teaches a method for cooperative distributed task management in a storage subsystem with multiple controllers using cache locking, comprising:

initiating by an initiating controller a task to be performed (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74);

establishing by the initiating controller a task coordination by the multiple controllers (col. 14, lines 57-63, col. 17, lines 13-32, Fig. 2, items 60, 71-74); and

selecting by a free controller a partition of a task available for processing as indicated by the states (transfer controller 80) (col. 11, lines 15-21, col. 12, lines 50-54).

- 25. Simpson fails to explicitly teach using data objects that represent discrete partitions of the task to be performed and states for each partition. However, Moriyama teaches a processor/controller that uses data objects that are discretely partitioned into various states of tasks such as a ready state, a state of execution (IN PROGRESS) state, an end (COMPLETE) state, etc. (col. 9, lines 45-67 through col. 10, lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the feature of using data objects that represent discrete partitions of the task to be performed and states for each partition to the existing task communication/controller system because using data objects and an object-oriented technique would improve communication in the data system (col. 1, lines 10-16 and 56-65).
- 26. As to claim 24, Moriyama teaches further comprising indicating a state of a partition as being READY, IN PROGRESS, or COMPLETE (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 25, Moriyama teaches wherein the selecting by a free controller is performed by examining the partitions in a READY state and selecting at least one partition in the READY state to operate on (col. 9, lines 45-67 through col. 10, lines 1-14).
- 28. As to claim 26, Moriyama teaches wherein a partition is in an IN PROGRESS state during processing (col. 9, lines 45-67 through col. 10, lines 1-14).

Art Unit: 2195

29. As to claim 27, Moriyama teaches further comprising setting by a controller a partition selected for processing to a COMPLETE state upon completion of processing for the partition (col. 9, lines 45-67 through col. 10, lines 1-14).

- 30. As to claim 28, Moriyama teaches wherein the selecting by a free controller is performed by examining the partitions in a READY state and selecting at least one partition in the READY state to operate on (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 29, Moriyama teaches wherein a partition is in an IN PROGRESS state during processing (col. 9, lines 45-67 through col. 10, lines 1-14).
- As to claim 30, Moriyama teaches further comprising setting by a controller a partition selected for processing to a COMPLETE state upon completion of processing for the partition (col. 9, lines 45-67 through col. 10, lines 1-14).
- 33. As to claim 32, Moriyama teaches further comprising notifying the initiating controller when all partition states are complete and performing completion actions that are required (col. 9, lines 45-67 through col. 10, lines 1-14).

34. As to claim 33, Moriyama teaches wherein the task coordination data object includes information about an operation to be performed and a data set to be operated on (col. 9, lines 45-67 through col. 10, lines 1-14).

- 35. As to claims 34-41, they are rejected for the same reasons as stated in the rejections of claimsx 2-6 and 10-11.
- 36. As to claim 42, it is rejected for the same reasons stated in the rejection of claim 1.
- Claims 9 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Simpson et al. (hereinafter Simpson) (US 6,185,629 B1) in view of Moriyama et al. (hereinafter Moriyama) (US 6,466,991 B1), and further in view of Stuttard et al. (hereinafter Stuttard) (US 2002/0174318 A1).
- As to claims 9 and 31, Simpson and Moriyama fails to explicitly teach wherein the states provide a semaphore-mechanism for allowing a controller to ascertain whether to acquire control over a partition. However, Stuttard teaches using a semaphore controller for a data processing apparatus (page 7, [0140]-0142]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the references of Stuttard with Simpson and Moriyama because this would allow for synchronization of threads and to increase the control of accesses to resources (page 7, [0140]-0142]).

Art Unit: 2195

39. Claims 12-19, and 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pecone (US 2003/0065836 A1) in view of Moriyama et al. (hereinafter Moriyama) (US 6,466,991 B1).

As to claim 12, Pecone teaches a mass storage array subsystem, comprising:

a plurality of storage devices (at least one storage device) (page 2, [0013]);

a backplane adapted (by interface modules) to couple to said plurality of storage devices

(page 2, [0013]); and

a plurality of controllers (at least two controller memory modules), coupled to the backplane, for controlling the plurality of storage devices, the plurality of controllers having a first interface to couple to a host system and a second interface adapted to couple to said backplane to communicate with said plurality of storage devices (two channel interface modules, which are connected to the passive backplane, the host computer and the storage devices) (page 2, [0013]);

wherein each of the plurality of controllers comprise a CPU for controlling the operation of a controller (each controller includes a CPU subsystem 50), program memory for storing program instructions and variables for the operation of the CPU (memory 54 to store data and information such as for the control logic 58, [0006]) and cache memory for storing information related to the array of storage devices (cache memory and array of disks) (page 1, [0005]-[0006]), and wherein a controller of the plurality of controllers initiates a task to be performed (CPU performs tasks) (page 1, [0006]).

Art Unit: 2195

41. Pecone fails to explicitly teach using data objects that represent discrete partitions of the task to be performed and states for each partition. However, Moriyama teaches a processor/controller that uses data objects that are discretely partitioned into various states of tasks such as a ready state, a state of execution (IN PROGRESS) state, an end (COMPLETE) state, etc. (col. 9, lines 45-67 through col. 10, lines 1-14). It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the feature of using data objects that represent discrete partitions of the task to be performed and states for each partition to the existing task communication/controller system of Pecone because using data objects and an object-oriented technique would improve communication in the data system (col. 1, lines 10-16 and 56-65).

- 42. As to claims 13-19 and 21-22, these limitations are taught in Moriyama as shown in the rejections of claims 2-8 and 10-11.
- 43. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Simpson et al. (hereinafter Simpson) (US 6,185,629 B1) in view of Moriyama et al. (hereinafter Moriyama) (US 6,466,991 B1), and further in view of Stuttard et al. (hereinafter Stuttard) (US 2002/0174318 A1).
- 44. As to claim 20, Pecone and Moriyama fails to explicitly teach wherein the states provide a semaphore-mechanism for allowing a controller to ascertain whether to acquire control over a

partition. However, Stuttard teaches using a semaphore controller for a data processing apparatus (page 7, [0140]-0142]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the references of Stuttard with Pecone and Moriyama because this would allow for synchronization of threads and to increase the control of accesses to resources (page 7, [0140]-0142]).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

• US 5,913,073 (LeCrone) teaches a mass storage controller system that uses data objects to represent a READY state/status, RUN (IN PROGRESS) state/status and a DONE (COMPLETE) state/status (see Fig. 12, and col. 13, lines 45-67 through col. 14, lines 1-16).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth Tang whose telephone number is (571) 272-3772. The examiner can normally be reached on 8:30AM - 6:00PM, Every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2195

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kt 9/13/05

MENG-AL T. AN

UDBERVISORY PATENT EXAMINER

OCY CENTER 2100